

# Indoor/Outdoor Home Security Wi-Fi Camera



Tapo C113



Flexible Indoor and Outdoor Placement

Person and  
Motion Detection

Color Night  
Vision

Local microSD  
Storage<sup>†</sup> up to 512GB



## // Highlights


### Your All-Weather Security Guard, Always on the Watch

From the backyard to the nursery, IP65 weatherproofing provides dependable, crystal-clear security—indoors or outdoors, rain or shine.



### Smart Person Detection. No Subscription Required.

Get instant alerts when a person is detected, reducing false alerts and unnecessary notifications.



## // Features



### Color Night Vision with Spotlights

Reveals high-fidelity details and color at night with the embedded spotlights.



### Baby Crying Detection

Notifies you when your baby cries.



### Alarm System

Trigger lights and sounds as an alarm when motion is detected.



### Two-Way Audio

Communicate in real time through a built-in microphone and speaker.



### Cloud Storage Supported<sup>‡</sup>

Store videos by using cloud storage services.



### Local microSD Storage<sup>†</sup>

Store up to 512 GB of video on a microSD card<sup>†</sup>.



### IP65 Weatherproof

Helps Tapo C113 perform well even in harsh environments with rain and dust.

<sup>†</sup>microSD card purchased separately.

<sup>‡</sup>Subscribe for cloud storage at <https://www.tapo.com/tapocare/>

<sup>‡</sup>Compatible with Alexa and Google Assistant supported displays. User experience is dependent on the connected device's specifications.

<sup>§</sup>Tapo C113 does not have an Ethernet port and can only be connected via Wi-Fi.

For more information, please visit <https://www.tapo.com/>

All brands and product names are trademarks or registered trademarks of their respective holders. Specifications are subject to change without notice.

©2025 TP-Link

## // Specifications

<b>Camera</b>	Image Sensor	1/3" Progressive Scan CMOS Not Starlight Sensor
	Lens	Focal Length: 3.16 mm Aperture: F1.6 Field of View: 114° (Diagonal), 97°(Horizontal), 52°(Vertical)
	Night Vision	850 nm IR LED (40 ft / 12 m)
	Day/Night Switch	IR-Cut Filter with Auto-Switching
	Lighting	2× White Lights, 2× IR Lights
	Interface & Button	1× RESET Button 1× microSD Card Slot (Up to 512 GB) 1× USB Type-C Power Port
<b>Video &amp; Audio</b>	Maximum Resolution	2K 3MP (2304 x 1296 px)
	Frame Rate	15/20/25/30 fps
	Digital Zoom	None
	Video Compression	H.264
	Live View	Yes

<b>Video &amp; Audio</b>	Image Enhancement	3DNR WDR
	Audio Input & Output	Built-in Microphone and Speaker
	Audio Communication	Two-Way Audio with Noise Cancellation
	Siren Volume	88 dB (Level measured at 4-inch/10-cm distance)
<b>Storage</b>	Local Storage	microSD Card Slot on Camera (Up to 512 GB)
	Cloud Storage	Tapo Care Cloud Storage Services (Subscription required)
<b>Detection &amp; Notification</b>	AI Detection	Motion Detection Person Detection Baby Crying Detection
	Activity Zones	Yes (*Only works with Motion Detection.)
	Output Notification	System Notification System Notification with Snapshot (Tapo Care Services)
<b>Network</b>	Network Connectivity	Connect via Wi-Fi
	Wireless Connectivity	IEEE 802.11b/g/n, 2.4 GHz <sup>s</sup>
	Transmission Rate	11b: 11 Mbps 11g: 54 Mbps 11n: 72.2 Mbps
	Protocol	TCP/IP, DHCP, ICMP, DNS, NTP, HTTPS, TCP, UDP

<b>Security</b>	Ethernet Port	/
	RTSP	Yes
	ONVIF	Yes (Profile S)
	Security	On-Device Machine Learning 128-bit AES Encryption with SSL/TLS WPA/WPA2-PSK
<b>Power</b>	Adapter Input	100-240V~, 50/60 Hz, 0.2 A
	Adapter Output	5.0 V, 1.0 A (Type-C Power)
	DC Power Connector	USB Type-C Port
	Power Cord Length	2 m
	Typical Power Consumption	1.9 W
	Maximum Power Consumption	3.4 W
<b>General</b>	Certifications	CE, FCC, RCM, JRF, VCCI
	Smart Integration	Amazon Alexa Google Assistant Samsung Smartthings
	Weather Resistance	IP65

General	Mounting Options	Tabletop Wall-Mounted Ceiling-Mounted
	Operating Temperature	-20 °C ~ 45 °C (-4 °F ~ 113 °F)
	Storage Temperature	-20 °C ~ 70 °C (-4 °F ~ 158 °F)
	Operating Humidity	10%~90% RH, Non-condensing
	Storage Humidity	5%~90% RH, Non-condensing
	Mounting Screw Size	
	Dimensions	2.41 × 2.38 × 3.63 in (61.1 × 60.5 × 92.1 mm)
	Weight	3.2 oz / 90 g
	Package Contents	Tapo C113 Camera × 1 Camera Bracket × 1 Power Adapter × 1 USB-A to Type-C Wire × 1 Mounting Screws × 4 Mounting Anchors × 4 Cable Organizers × 2 Mounting Template × 1 Quick Start Guide